

11

Contents of Section

References

References

A model for pediatric care struggles in DC region. (2002, May). *Hospice Management Advisor*, 7, 51-52.

AARP. (2001). *In the middle: A report on multicultural baby boomers coping with family and aging issues, executive summary*. AARP: Washington DC.

Abrahm, J. L., & Hansen-Flashcen, J. (2002). Hospice care for patients with advanced lung disease. *Chest*, 121, 220-229.

Adam, J. (2000). *Discharge planning of terminally ill patients home from an acute hospital*. *International Journal of Palliative Nursing*, 6, 338-345.

Albert, S. M. (2000). The dependent elderly, home health care, and strategies of household adaptation. In *Aging and Everyday Life*, Malden, MA: Blackwell Publishers, pp. 373-385.

Alexander, C. S., & Schietinger, H. (2003). Special populations. In *A Clinical Guide to Supportive & Palliative Care for HIV/AIDS 2003*. Retrieved August 19, 2004, from <http://www.hab.hrsa.gov/tools/palliative/chap15.html>

American Academy of Pediatrics. (2000). Palliative care for children. *Pediatrics*, 106, 351-357.

American Geriatrics Society (AGS). (1997). Measuring quality of care at the end of life: A statement of principles. *Journal of the American Geriatrics Society*, 45, 526-527.

American Medical Association (AMA). (1995). *Aspects of pain management in adults*. Retrieved March 10, 2005, from <http://www.ama-assn.org/ama/pub/category/print/13672.html>

American Pain Society. (2001). *Promoting pain relief and preventing abuse of pain medications: A critical balancing act*. Retrieved March 1, 2005 from <http://www.ampainsoc.org/advocacy/promoting.htm>

American Pain Society. (1995). *Quality improvement guidelines for the treatment of acute pain and cancer*. Retrieved March 1, 2005, at <http://www.ampainsoc.org/pub/qi.htm>

American Psychological Association (APA). (2000). *Report to the Board of Directors from the APA Working Group on Assisted Suicide and End-of-Life Decisions*. Accessed January 4, 2005, from <http://www.apa.org>.

American Public Health Association. (n.d.). *Access to care: Fact sheet*. Accessed March 1, 2005, at <http://www.apha.org>

American Society of Clinical Oncology. (1998). *Largest survey of cancer specialists finds physician education, access to services, patient depression, remaining challenges to providing quality end-of-life care*. Retrieved March 10, 2005, from http://www.asco.org/asco/shared/asco_print_view/1,1168,12-00216

Arno, P. S., Levine, C., & Memmott, M. M. (1999). The Economic Value of Informal Caregiving. *Health Affairs*, 18, 182-188.

Arras, J. D., & Dubler, N. N. (1994). Bringing the hospital home: Ethical and social implications of high-tech home care. *The Hastings Center Report*, 24(5), S19-S28.

Barnard, D. (2002). Advance care planning is not about 'getting it right.' *Journal of Palliative Medicine*, 5, 475-481.

Barret, R. K., & Heller, K. S. (2001, September-October). Death and dying in the black experience: An interview with Ronald K. Barrett. *Innovations in End-of-Life Care*, 3(5). Retrieved October 1, 2001, from <http://www2.edc.org/lastacts/intlperisp.asp>

Bass, D. M., Bowman, K., & Noelker, L. S. (1991). The influence of caregiving and bereavement support on adjusting to an older relative's death. *Gerontologist*, 31, 32-42.

Bernabei, R., Gambassi, G., Lapane, K., Landi, F., Gatsonis, C., Dunlop, R., Lipsitz, L., Steel, K., Mor, V. (1998). Management of pain in elderly patients with cancer. *Journal of the American Medical Association*, 279, 1877-1882.

Blackhall, L. J., Frank, G., Murphy, S. T., Michel, V., Palmer, J. M., & Azen, S. P. (1999). Ethnicity and attitudes towards life sustaining technology. *Social Science and Medicine*, 48, 1779-1789.

Bonneaux, I., Barendregt, J. J., Meeter, K., Bonsel, G. J., & van der Maas, P. J. (1994). Estimating clinical morbidity due to ischemic heart disease and congestive heart failure: The future rise of heart failure. *American Journal of Public Health*, 84, 20-28.

Brazil, K., Bedard, M., Willison, K., & Hode. (2003). Caregiving and its impact on families of the terminally ill. *Aging and Mental Health*, 7, 376-382.

Brody, H., & Lynn, J. (1984). The physician's responsibility under the new Medicare reimbursement for hospice care. *The New England Journal of Medicine*, 310, 920-922.

- Brown University Center for Gerontology and Health Care Research. *Facts on Dying: Michigan State Profile*. Retrieved on July 19, 2004, at <http://www.chcr.brown.edu/dying/miprofile.htm>
- Bryce, C. L., Loewenstein, G., Arnold, R. M., Schooler, J., et al. (2004). Quality of death: Assessing the importance placed on end-of-life treatment in the intensive-care unit [Abstract]. *Medical Care*, 42, 423.
- Buerhaus, P. I., Staiger, D. O., & Auerbach, D. I. (2000). Implications of an aging registered nurse workforce. *Journal of the American Medical Association*, 283, 2948-2954.
- Bureau of Community Mental Health Services. (2004). *CMHSP demographic summary: Numbers and percentages of persons with mental illnesses and developmental disabilities who received services from CMHSPs*. Michigan Department of Community Health. Retrieved April 5, 2005, at http://www.michigan.gov/coduments/2a_113702_7.pdf
- Byock, I. (1994, January 17). Kevorkian: Right problem, wrong solution. *The Washington Post*. Retrieved March 1, 2005, from <http://www.dyingwell.com/wp011794.htm>
- Byock, I. R. (2002). Dying well in corrections: Why should we care? *Journal of Correctional Health Care*. Retrieved March 1, 2005, at <http://www.dyingwell.com/jchc02.htm>
- Calne, S. M., & Kumar, A. (2003). Nursing care of patients with late-stage Parkinson's disease. *Journal of Neuroscience Nursing*, 35, 242-251.
- Cameron, J. I., Franche, R. L., Cheung, A. M., & Stewart, D. E. (2002). Lifestyle interference and emotional distress in family caregivers of advanced cancer patients. *Cancer*, 94, 521-527.
- Campbell, M. L., & Guzman, J. A. (2003). Impact of a proactive approach to improve end-of-life care in a medical ICU. *Chest*, 123, 266-271.
- Caregiving near Life's End. (2004). Retrieved August 17, 2004, from <http://www.thehospice.org>
- Centers for Disease Control and Prevention (CDC). (2002). *Fact sheet: Public health infrastructure*. Accessed February 12, 2004, at <http://www.cdc.gov/od/oc/media/pressrel/fs020514.htm>.
- Centers for Disease Control and Prevention (CDC). (n.d.). *Leading causes of death, 1900-1998*. Accessed November 10, 2004, at http://www.cdc.gov/nchs/data/dvs/lead1900_98.pdf
- Cherney, N. I., & Catane, R. (1995). Professional negligence in the management of cancer pain: A case for urgent reform. *Cancer*, 76, 2181-2185.
- Cheung, A. M., & Hwang, S. W. (2004). Risk of death among homeless women: A cohort study and review of the literature. *Canadian Medical Association Journal*, 170, 1243-1247.

- Christakis, N.A. (1999). *Death foretold: prophecy and prognosis in medical care*. Chicago: The University of Chicago Press.
- Claessens, M. T., Lynn, J., Zhong, Z., et al. (2000). Dying with lung cancer or chronic obstructive pulmonary disease: Insights from SUPPORT. *Journal of the American Geriatrics Society*, 48, S146-S153.
- Clark, D. (2002). Between hope and acceptance: The medicalisation of dying. *British Medical Journal*, 324, 905-907.
- Cleeland, C. S., Gonin, R., Hatfield, A. K., Edmonson, J. A., Blum, R. H., Stewart, J. A., & Pandya, K. J. (1994). Pain and its treatment in outpatients with metastatic cancer. *New England Journal of Medicine*, 330, 592-596.
- Cleland, J. G. F., Massie, B. M., & Packer, M. (1999). Sudden death in heart failure: Vascular or electrical. *European Journal of Heart Failure*, 1, 41-45.
- Cohn, F. (1999). The ethics of end-of-life care for prison inmates. *The Journal of Law, Medicine, & Ethics*, 27, 252-259.
- Conflict between hospice, nursing homes can impede end-of-life care. (2002, September). *Hospice Management Advisor*, 7, 97-99.
- Connor, S. R. (1997). *Hospice: Practice, pitfalls, and promise*. Washington, DC: Taylor & Francis Publishers.
- Cort, M. (2004). Cultural mistrust and use of hospice care: Challenges and remedies. *Journal of Palliative Medicine*, 7, 63-71.
- Covinsky, K. E., Goldman, L., Cook, E. F., Oye, R., Desbiens, N., Reding, D., et al. for the SUPPORT Investigators. (1994). The impact of serious illness on patients' families. *Journal of the American Medical Association*, 272, 1839-1844.
- Cowie, M. R. (2003). Estimating prognosis in heart failure: Time for a better approach. *Heart*, 89, 587-588.
- Crawley, L. (2001). Palliative care in African American communities. *Innovations in End-of-Life Care*, 3(5). Retrieved September 28, 2001, at <http://www2.edc.org/lastacts>
- Crawley, L., Payne, R., Bolden, J., Payne, T., Washington, P., & Williams, S. (2000). Palliative and end-of-life care in the African American Community. *Journal of the American Medical Association*, 284, 2518-2521.
- Curtis, J. R., Patrick, D. L., Caldwell, E. S., & Collier, A. C. (2000). Why don't patients and physicians talk about end-of-life care? Barriers to communication for patients with acquired

immunodeficiency syndrome and their primary care clinicians. *Archives of Internal Medicine*, 160, 1690-1696.

Curtis, J. R., Wenrich, M. D., Carline, J. D., Shannon, S. E., Ambrozy, D. M., & Ramsey, P. G. (2002). Patients' perspectives on physician skill in end-of-life care: Differences between patients with COPD, cancer, and AIDS. *Chest*, 122, 356-363.

D'Onofrio, C., & Ryndes, T. (2003). The relevance of public health in improving access to end of life care. *The Hastings Center Report Special Supplement*, 33(2), S30-S32.

Davies E., & Higginson, I. J. (Eds.). (2004b). *Palliative care: The solid facts*. World Health Organization. Accessed March 9, 2005, at <http://www.euro.who.int/document/E82931.pdf>

Davies, E., & Higginson, I. J. (Eds.) (2004a). *Better palliative care for older people*. World Health Organization. Retrieved March 9, 2005, at <http://www.euro.who.int/document/E82933.pdf>

Detroit Free Press. (1997, March 8). *Assisted suicide options*. Retrieved December 12, 2004, at <http://www.freep.com/suicide/index1.htm>

Della Penna, R. (2000). Asking the right question. *Innovations in End-of-Life Care*, 2(5), Accessed October 1, 2001, from <http://www.edc.org/lastacts>

Doka, K. J. (2003/2004, Winter). The spiritual gifts –and burdens—of family caregiving. *Generations*, 27, 45-48.

Doka, K. J. (2003). *Caregiving and Loss: Family Needs, Professional Responses*. Hospice Foundation of America. Chapter 9, Grief, loss, and caregiving. Retrieved March 1, 2005, from <http://www.hospicefoundation.org/caregivers/documents/chapter9.pdf>

Don't try to treat children with the adult hospice model. (2001, August). *Hospice Management Advisor*, 6, 85-88.

Donelan, K., Hill, C. A., Hoffman, C., Scoles, K., Feldman, P. H., Levine, C., & Gould, D. A. (2002). Challenged to care: Informal caregivers in a changing health system. *Health Affairs*, 21, 222-231.

Doyle, P. L. (2005, January 4). The dying should be getting better pain care. *Portland Press Herald*. Retrieved January 14, 2005).

Drazen, J.M. (2003). Decisions at the end of life. *The New England Journal of Medicine*, 349, 1109.

Dying before their time. (n.d.). Detroit Area Agency on Aging, Detroit Medical Center, Wayne State University, WSU Institute of Gerontology, WSU Center for Urban Studies, City of Detroit Senior Citizens Department.

- Emanuel, E. J., Fairclough, D. L., Slutsman, J., & Emanuel, L. L. (2000). Understanding economic and other burdens of terminal illness: The experience of patients and their caregivers. *Annals of Internal Medicine*, *132*, 451-459.
- Emanuel, E. J., Fairclough, D. L., Slutsman, J., Alpert, H., Baldwin, D., & Emanuel, L. L. (1999). Assistance from family members, friends, paid care givers, and volunteers in the care of terminally ill patients. *The New England Journal of Medicine*, *341*, 956-963. Retrieved February 7, 2005 from ProQuest.
- Emanuel, E. J., Young-Xu, Y., Levinsky, N. G., Gazelle, G., Saynina, O., & Ash, A. S. (2003). Chemotherapy use among Medicare beneficiaries at the end of life. *Annals of Internal Medicine*, *138*, 639-643.
- End-of-life care in nursing homes still needs improvement. (2001, April). *Hospice Management Advisor*, *6*, 37-40.
- English, D., & Gong, J. (2001). Why hospice belongs in nursing homes, part 1. *Nursing Homes*, *50*(4), 46-50.
- Ersek, M., & Wilson, S. A. (2003). The challenges and opportunities in providing end-of-life care in nursing homes. *Journal of Palliative Medicine*, *6*, 45-57.
- ESRD Workgroup final report summary on end-of-life care: Recommendations to the field. (2003). *Nephrology Nursing Journal*, *30*(1), 59-63.
- Evans, B. D. (2002). Improving palliative care in the nursing home: From a dementia perspective. *Journal of Hospice and Palliative Nursing*, *4*(2), 91-99.
- Facts on Dying*. (2004.) Brown University Center for Health Care Research. Accessed February 1, 2005, at <http://as800.chcr.brown.edu/dying/>
- Fagerlin, A., & Schneider, C. E. (2004). The failure of the living will. *Hastings Center Report*, *34*(2), 30-42.
- Family Caregiver Alliance. (2001). *Fact sheet: Selected caregiver statistics*. Retrieved August 17, 2004, from http://www.caregiver.org/caregiver/jsp/content_node.jsp?nodeid=439
- Family Caregiver Alliance. (2003). *Fact sheet: Women and caregiving: Facts and figures*. Retrieved August 17, 2004, from http://www.caregiver.org/caregiver/jsp/print_friendly.jsp?nodeid=892
- Federal study focuses on pediatric palliative care. (2001, November). *Hospice Management Advisor*, *6*, 129-131.

- Federation of State Medical Boards of the United States, Inc. (2004). *Model policy for the use of controlled substances for the treatment of pain*. Retrieved August 14, 2004, from <http://www.fsmb.org/>
- Feinberg, L. F. (2002). The state of the art: Caregiver assessment in practice settings. San Francisco, CA: Family Caregiver Alliance. Accessed August 17, 2002, at <http://www.caregiver.org>
- Felker, B., Yazel, J. J., & Short, D. (1996). Mortality and medical comorbidity among psychiatric patients: A review. *Psychiatric Services*, 47, 1356-1363.
- Felt, J.K. (n.d.). *Changing guardianship laws affect medical decision making for incapacitated adults—part III*.
- Ferrell, B.R., Cohen, M.Z., Rhiner, M., & Rozek, A. (1991). Pain as a metaphor for illness. Part II: Family caregivers' management of pain. *Oncology Nurses Forum*, 18, 1315-1321.
- Feudtner, C., Christakis, D. A., Zimmerman, F. J., Muldoon, J. H., Neff, J. M., & Koepsell, T. D. (2002). Characteristics of deaths occurring in children's hospitals: Implications for supportive care services. *Pediatrics*, 109, 887-893.
- Feudtner, C., Silveira, M. J., & Christakis, D. A. (2002). Where do children with complex chronic conditions die? Patterns in Washington state, 1980-1998. *Pediatrics*, 109, 656-660.
- Field, M. J., & Behrman, R. E. (Eds.). *When children die: Improving palliative and end-of-life care for children and their families*. Institute of Medicine. Washington, DC: The National Academies Press.
- Field, M. J., & Cassel, C. K. (Eds.). (1997). *Approaching death: Improving care at the end of life*. Washington, DC: National Academy Press.
- Firestone, K., & LaRoux, K. (2000). Prison health care: An overview. *Senate Fiscal Agency*. Retrieved September 30, 2004, at <http://www.senate.michigan.gov/sfa/Publications/Issues/PrisonHealthCare/PrisonHealthCare.pdf>
- Flory, J., Young-Xu, Y., Gurol, I., Levinsky, N., Ash, A., & Emanuel, E. (2004). Place of death: U.S. trends since 1980. *Health Affairs*, 23, 194-200.
- Forbes, S., (2001). This is heaven's waiting room. *Journal of Gerontological Nursing*, 27, 37-45. Retrieved April 14, 2002, from ProQuest database.
- Forbes, S., Bern-Klug, M., & Gessert, C. (2000). End-of-life decision making for nursing home residents with dementia. *Journal of Nursing Scholarship*, 32, 251-258.
- Foti, M. E. (2003). "Do it your way": A demonstration project on end-of-life care for persons with serious mental illness. *Journal of Palliative Medicine*, 6, 661-669.

- Gallagher, D., Rose, J., Rivera, P., Lovett, S., & Thompson, L. (1989). Prevalence of depression in family caregivers. *The Gerontologist*, 29, 449-456.
- Galvin, R. (2005). 'A deficiency of will and ambition': A conversation with Donald Berwick. *Health Affairs*, 24, 300. Accessed January 25, 2005, at <http://content.healthaffairs.org/cgi/content/full/hlthaff/w5.1/DC1>
- Gawande, A. (2002). *Complications: A surgeon's notes on an imperfect science*. New York: Metropolitan Books.
- Gibbs, J. S. R., McCoy, A. S. M., Gibbs, L. M. E., Rogers, A. E., & Addington-Hall, J. M. (2002). Living and dying from heart failure: The role of palliative care. *Heart*, 88(Suppl II), ii36-ii39.
- Gibbs, L. M. E., Addington-Hall, J., & Gibbs, J. S. R. (1998). Dying from heart failure: Lessons from palliative care. *British Medical Journal*, 317, 961-962.
- Goodlin, S. J., Jette, A. M., Lynn, J., & Wasson, J. H. (1998). Community physicians describe management issues for patients expected to live less than twelve months. *Journal of Palliative Care*, 14, 30-35.
- Gould, D. A. (2004). Family caregivers and the health care system. In Levine, D., & Murray, T. H. (Eds.). *The Cultures of Caregiving: Conflict and Common Ground among Families, Health Professionals, and Policy Makers*. Baltimore, MD: The Johns Hopkins University Press.
- Grantmakers in Health. (2003). *Strengthening the public health system for a healthier future*. (Issue Brief No. 17). Retrieved February 12, 2004, at <http://www.gih.org>
- Green, B.L., Krupnick, J.L., Stockton, P., Goodman, L., Corcoran, C., & Petty R. (2001). Psychological outcomes associated with traumatic loss in a sample of young women. *American Behavioral Scientist*, 44, 817-837.
- Grunfeld, E., Coyle, D., Whelan, T., Clinch, J., Reyno, L., Earle, C. C., et al. (2004). Family caregiver burden: results of a longitudinal study of breast cancer patients and their principal caregivers. *Canadian Medical Association Journal*, 170, 1795-1801.
- Haley, W. E., Allen, R. S., Reynolds, S., Chen, H., Burton, A., & Gallagher-Thompson, D. (2002). Family issues in end-of-life decision making and end-of-life care. *American Behavioral Scientist*, 46, 284-298.
- Haley, W. E., LaMonde, L. A., Han, B., Narramore, S., & Schonwetter, R. (2001). Family caregiving in hospice: Effects on psychological and health functioning among spousal caregivers of hospice patients with lung cancer or dementia. *Hospice Journal*, 15, 1-18.

- Hanratty, G., Hibbert, D., Mair, F., May, C., Ward, C., Capewell, S., Litva, A., & Corcoran, G. (2002). Doctor's perceptions of palliative care for heart failure: Focus group study. *British Medical Journal*, *325*, 581-585.
- Hanson, L. C. (2003). Creating excellent palliative care in nursing homes. *Journal of Palliative Medicine*, *6*, 7-9.
- Hanson, L. C., Danis, M., & Garrett, J. (1997). What is wrong with end-of-life care? Opinions of bereaved family members. *Journal of the American Geriatrics Society*, *45*, 1339-1344.
- Hoefler, J. M. (2000). Making decisions about tube feeding for severely demented patients at the end of life: Clinical, legal, and ethical considerations. *Death Studies*, *24*, 233-254.
- Hogan, C., Lunney, J., Gabel, J., & Lynn, J. (2001). Medicare beneficiaries' costs of care in the last year of life. *Health Affairs*, *20*, 188-195.
- Hogan, C., Lynn, J., Gabel, J., Lunney, J., O'Mara, A., & Wilkinson, A. (2000). *Medicare beneficiaries' costs and use of care in the last year of life*. Washington, DC: Medicare Payment Advisory Commission.
- Hopp, F. P., & Duffy, S. A. (2000.) Racial variations in end-of-life care. *Journal of the American Geriatrics Society*, *48*, 658-663.
- Hudson, P. L., Aranda, S., & Kristjanson, L. J. (2004). Meeting the supportive needs of family caregivers in palliative care: Challenges for health professionals. *Journal of Palliative Medicine*, *7*, 19-25.
- Huff, S. (2002). Caring for sick children is a privilege, not a job. *Hospice Management Advisor*, *7*, 55-56.
- Institute of Medicine (IOM). (1997). *Approaching death: Improving care at the end of life*. Washington, DC: National Academy Press.
- Institute of Medicine (IOM), Committee for the Study of the Future of Public Health. (1988). *The future of public health*. Washington DC: National Academy Press.
- Institute of Medicine (IOM). (2003). *Describing death in America: What we need to know*. Washington, DC: The National Academies Press.
- Institute of Medicine (IOM). (2002). *The future of the public's health in the 21st century*. Washington DC: National Academies Press. Accessed March 2, 2005, at <http://nap.edu/openbook/030908704X/html>
- Iwashyna, T. J., & Christakis, N. A. (2001). Commentary: Physicians, patients, and prognosis. *Western Journal of Medicine*, *174*, 253-254.

- JCAHO. (1999). *Joint Commission focuses on pain management*. Retrieved February 18, 2004, at <http://www.jcaho.org/news+room>
- Jennings, B. (2003). Hospice and Alzheimer's disease: A study in access and simple justice. *Hastings Center Report Special Supplement*, 33 (2), S24-S26.
- Jennings, B., Ryndes, T., D'Onofrio, C., & Baily, M.A. (2003). Access to hospice care: Expanding boundaries, overcoming barriers. *Hastings Center Report Special Supplement*, 33 (2), S3-S59.
- Joranson, D. E., et al. (2002). North Carolina, pain management and end-of-life care: Communicating the policy. *Federation Bulletin, Journal of Medical Licensure and Discipline*, 88, 116-119. Retrieved March 1, 2005, from <http://www.medsch.wisc.edu/painpolicy/publicat/02fsmb/index.htm>
- Koenig, B. (1997). Cultural diversity in decision-making about care at the end of life. In M. J. Field & C. K. Cassel (Eds.), *Approaching death: Improving care at the end of life*. Washington, DC: National Academy Press.
- Kolata, G. (2004, May 18) When Alzheimer's steals the mind, how aggressively to treat the body? *The New York Times*.
- Krauss, N. A., & Altman, B. M. (1998). *Characteristics of nursing home residents—1996* (MEPS Research Findings No. 5, AHCPR Pub. No. 99-0006). Rockville, MD: Agency for Health Care Policy and Research.
- Lamont, E.B., & Christakis, N.A. (2003). Complexities in prognostication in advanced cancer: "To help them live their lives the way they want to." *Journal of the American Medical Association*, 290, 98-104.
- Last Acts. (2002, August). A new language of hope: Seattle Children's Hospital weaves communication, reimbursement, and case management innovations. *State Initiatives in End-of-Life Care*, 15, 5-8.
- LastActs. (2001, November). Approaches for patients in marginalized groups. *State Initiatives in End-of-Life Care*, 12, 5.
- Lee, S. L., Colditz, G. A., Berkman, L. F., & Kawachi, I. (2003). Caregiving and risk of coronary heart disease in U. S. women: A prospective study. *American Journal of Preventive Medicine*, 24(2), 113-119.
- Lewis, L. (2001, July). Toward a good death in the nursing home: Pain management & hospice are key. *Caring for the Ages*, 3(7). Retrieved July 19, 2004, from <http://www.amda.com/caring/july2001/gooddeath.htm>

Linder, J. F., Enders, S. R., Craig, E., Richardson, J., & Meyers, F. J. (2002). Hospice care for the incarcerated in the United States: An introduction. *Journal of Palliative Medicine*, 5, 549-552.

Lorenz, K. (2004a). *Evidence-based practice center presentation: Interventions to improve outcomes for patients and families*. Paper presented at the NIH State of the Science Conference on Improving End-of-Life Care. Abstract retrieved March 1, 2005, from <http://consensus.nih.gov/ta/024/ImprovingEndoOfLifeProgramandAbstractBook.pdf>

Lorenz, K. (2004b). *Evidence-based practice center presentation: Patient, family, and health care system factors associated with better and worse outcomes*. Paper presented at the NIH State of the Science Conference on Improving End-of-Life Care. Abstract retrieved March 1, 2005, from <http://consensus.nih.gov/ta/024/ImprovingEndoOfLifeProgramandAbstractBook.pdf>

Lorenz, K., Lynn, J., Morton, S. C., Dy, S., Mularski, R., Shugarman, L., et al. (2004). *End of Life Care and Outcomes. Evidence Report/Technology Assessment No. 110*. Retrieved March 1, 2005, from <http://www.ahrq.gov/downloads/pub/evidence/pdf/eolcare/eolcare.pdf>

Lunney, J. R., Lynn, J., Foley, D. J., Lipson, S., & Guralnik, J.M. (2003). *Journal of the American Medical Association*, 289, 2387-2392.

Lynn, J. (1993). Assisted death and physician assisted suicide [Letter to the editor]. *New England Journal of Medicine*, 328, 964.

Lynn, J. (2000). Testimony before the Senate Special Committee on Aging. Retrieved December 8, 2004, at <http://www.medicaring.org/educate/index.html>

Lynn, J., Schuster, J. L., & Kabcenell, A. (2000). *Improving care for the end of life*. New York: Oxford University Press.

Lynn, J., Teno, J., Phillips, R. S., Wu, A. W., Desbiens, N., Harrold, J., et al. (1997). Perceptions by family members of the dying experience of older and seriously ill patients. *Annals of Internal Medicine*, 126, 97-106.

Manzer, J. (2003). Elderly under-treated for pain: 24% of nursing home residents with persistent pain got no analgesics. *Medical Post*, 39, 1.

Maroney, C. L., Litke, A., Fischbrg, D., Moore, C., & Morrison, R. S. (2004). Acceptability of severe pain among hospitalized adults. *Journal of Palliative Medicine*, 7, 443-450.

McCue, J. D. (1995). The naturalness of dying. *Journal of the American Medical Association*, 273, 1039-1043.

McMillan, A., Mentnech, R. M., Lubitz, J., McBean, A. M., & Russell, D. (1990). Trends and patterns in place of death for Medicare enrollees. *Health Care Financing Review*, 12, 1-7.

Means to a Better End: A Report on Dying in America Today. (2002). Washington, DC: Last Acts National Program Office.

MetLife Mature Market Institute, National Alliance for Caregiving, & The National Center on Women and Aging. (1999). *The Metlife juggling act study: Balancing caregiving with work and the costs involved.* New York, NY: Metropolitan Life Insurance Company.

Metropolitan Life Insurance Company & National Alliance For Caregiving. (1997). *The MetLife study of employer costs for working caregivers.* Connecticut: Metropolitan Life Insurance Company.

Mezey, M. (2004). Nurses and their changing relationship to family caregivers. In Levine, D., & Murray, T. H. (Eds.). *The Cultures of Caregiving: Conflict and Common Ground among Families, Health Professionals, and Policy Makers.* Baltimore, MD: The Johns Hopkins University Press.

Michel, J. P., Pautex, S., Zekry, D., Zulian, G., & Gold, G. (2002). End-of-life care of persons with dementia. *Journal of Gerontology*, 57A, M640-M644.

Michigan Child Death State Advisory Team. (2004). *Child deaths in Michigan.* Michigan Family Independence Agency & Michigan Public Health Institute. Retrieved April 6, 2005, from http://www.michigan.gov/documents/FIA-Child-Death-Report-Fourth-Annual-109561_7.pdf

Michigan Commission on End of Life Care. (2002). *Final Report.* Retrieved February 15, 2004, at http://www.michigan.gov/documents/pain418Rfinal_60325_7.pdf

Michigan Dementia Coalition. (2003). *Michigan Dementia Plan.* Michigan Department of Community Health.

Michigan Department of Community Health (MDCH). (1998). Reported patient days of care statewide in nursing care facilities 1996-1998. Accessed November 5, 2004, at <http://www.mdch.state.mi.us/pha/osr/chi/ltc/frame.html>

Michigan Department of Community Health (MDCH). (2004). Deaths and crude death rates for the ten leading causes of death, 2002 Michigan residents and 2001 United States residents. Accessed November 9, 2004, at <http://www.mdch.state.mi.us/pha/osr/chi/deaths/leadUS/stateus.asp>

Michigan Department of Corrections. (2001). Prisons and camps death statistics. Retrieved April 6, 2002, at http://www.michigan.gov/corrections/0,1607,7-119-1441_1465_1473---,00.html

Michigan Dignified Death Act. Public Act 368, Part 56A, Section 333.5652 – 333.5655 (1996 and amended 2001). Accessed at <http://www.michiganlegislature.org>).

Michigan Guidelines for the Use of Controlled Substances for the Treatment of Pain. (2003). Retrieved August 14 2004, from http://www.michigan.gov/documents/mdch_MI_guidelines_91795_7.pdf

Michigan Public Health Institute (MPHI). (2002). [Michigan special cancer behavioral risk factor survey, end-of-life module]. Unpublished data.

Miller, S.C., Gozalo, P., & Mor, V. (2000a). *Use of Medicare's hospice benefit by nursing facility residents.* Washington, DC: U.S. Department of Health and Human Services, Office of Disability, Aging and Long-Term Care Policy. Retrieved January 7, 2005, at <http://www.aspe.hhs.gov/daltcp/Reports/nufares.htm>

Miller, S.C., Gozalo, P., & Mor, V. (2000b). *Outcomes and utilization for hospice and non-hospice nursing facility decedents.* Washington, DC: U.S. Department of Health and Human Services, Office of Disability, Aging and Long-Term Care Policy. Retrieved January 7, 2005, from <http://www.aspe.hhs.gov/daltcp/Reports/oututil.htm>

Model policy for the use of controlled substances for the treatment of pain. (2004). Federation of State Medical Boards of the United States, Inc. Retrieved August 14, 2004, from <http://www.fsmb.org/>

Murray, S. A., Boyd, K., Kendall, M., Worth, A., Benton, T. F., & Clausen, H. (2002). Dying of lung cancer or cardiac failure: Prospective qualitative interview study of patients and their carers in the community. *British Medical Journal*, 325, 929-932.

Murray, S. A., Boyd, K., Kendall, M., Worth, A., Benton, T. F., & Clausen, H. (2002). *British Medical Journal*, 325, 929-932.

Murray, S.A., et al. (2002). Dying of lung cancer or cardiac failure: Prospective qualitative interview study of patients and their carers in the community. *British Medical Journal*, 325, 929-932.

National Academy of Sciences. (2002). The future of the public's health in the 21st century. Accessed February 12, 2004, at <http://www.nap.edu/openbook/030908704X/html/412.html>.

National Alliance for Caregiving & American Association for Retired Persons . (1997). *Family caregiving in the U. S: Findings from a national survey.* National Alliance for Caregiving, Bethesda, MD and AARP, Washington, DC.

National Alliance for Caregiving & American Association for Retired Persons. (2004). *Caregiving in the U. S.* Retrieved August 29, 2004, from <http://www.aarp.org/research/reference/publicopinions/aresearch-import-853.html>

National Center for Health Statistics. (2003). *Characteristics of hospice care discharges and their length of service: United States, 2000* (DHHS Publication No. PHS 2003-1725).

Washington, DC: U.S. Government Printing Office. Retrieved May 5, 2004, from http://www.cdc.gov/nchs/data/series/sr_13/sr13_154.pdf

National Consensus Project for Quality Palliative Care. (2004). *Clinical practice guidelines for quality palliative care*. Accessed at <http://www.nationalconsensusproject.org/guideline1.pdf> on July 7, 2004.

National Hospice and Palliative Care Organization. (2000). *Compendium of pediatric palliative care*. Alexandria, VA: Children's International Project on Palliative/Hospice Services.

Navaie-Waliser, M., Feldman, P. H., Gould, D. A., Levine, C., Kuerbis, A. N., & Donelan, K. (2002). When the caregiver needs care: The plight of vulnerable caregivers. *American Journal of Public Health, 92*, 409-413.

Naylor, M. D., Brooten, D., Campbell, R., Jacobsen, B. S., Mezey, M. D., Pauly, M. V., & Schwartz, J. S. (1999). Comprehensive discharge planning and home follow-up of hospitalized elders: A randomized clinical trial. *Journal of the American Medical Association, 28*, 613-620.

New Hampshire End of Life Project. (n.d.). Focus group findings. Accessed March 1, 2005, at <http://www.growthhouse.org/nhproj/focus.html>

Nursing Home Compare (2004). Accessed July 26, 2004, at <http://www.medicare.gov/NHCompare>

Nursing Homes Register 41 Percent Drop in Residents' Pain. (n.d.). Brown University Center for Health Care Research. Retrieved January 8, 2005, at http://www.brown.edu/Administration/News_Bureau/2004-05/04-060

O'Connell, J. J. (2004). Dying in the shadows: the challenge of providing health care for homeless people. *Canadian Medical Association Journal, 170*, 1251-1252.

O'Neill, J. F., & McKinney, M. M. (2003). Care for the caregiver. Retrieved August 19, 2004, at <http://hab.hrsa.gov/tools/palliative/cahp20.html>

Ogle, K. S., & Mavis, B. (2004). *Learning to provide end-of-life care: postgraduate medical training programs in Michigan*. Manuscript in preparation.

Orentlicher, D. (1992). The illusion of patient choice in end-of-life decisions. *Journal of the American Medical Association, 267*, 2101-2104.

Osuna, E., Perez-Carceles, M. D., Esteban, M. A., & Luna, A. (1998). The right to information for the terminally ill patient. *Journal of Medical Ethics, 24*, 106-109.

Paice, J.A. & Fine, P.G. (2001). Pain at the end of life. In B. R. Ferrell & N. Coyle (Eds.), *Palliative Nursing* (pp. 76-90). New York: Oxford University Press.

Parker-Oliver, D., Porock, D., Zweig, S., Rantz, M., & Petroski, G. F. (2003). Hospice and nonhospice nursing home residents. *Journal of Palliative Medicine*, 6, 69-75.

Pattison, M. (2000). Improving Care through the End of Life: An interview with Mimi Pattison, by A. L. Romer. *Innovations in End-of-Life Care*, 2(5) Retrieved January 14, 2002, at <http://www.edc.org/lastacts>

Perforum. (2003). *Michigan Summary Report: The 2002 NHPCO National Data Set*. Retrieved January 3, 2005, from <http://www.mihospice.org>

Petrisek, A.C. & Mor, V. (1999). Hospice in nursing homes: A facility-level analysis of the distribution of hospice beneficiaries. *The Gerontologist*, 39, 279-290.

Pierucci, R. L., Kirby, R. S., & Leuthner, S. R. (2001). End-of-life care for neonates and infants: The experience and effects of a palliative care consultation service. *Pediatrics*, 108, 653-660.

Presby K. (2003, September). *Insights about hospice referrals*. Paper presented at the Annual Hospice Symposium of the Hospices of Henry Ford Health System, Southfield, MI.

Prigerson, HG, Bierhals, AJ, Kasl, SV, Reynolds, CF, Shear, MK, Day, N, Beery. LC, Newsom, JT, & Jacobs, S. (1997) Traumatic grief as a risk factor for mental and physical morbidity. *American Journal of Psychiatry*, 154, 616-622.

Public Health Functions Steering Committee. (1994). *Public health in America*. Accessed March 4, 2005, at <http://www.health.gov/phfunctions/public.htm>

Quill, T. E., Cassel, C. K., Meier, D. E. (1993). Assisted death and physician assisted suicide [Letter to the editor]. *New England Journal of Medicine*, 328, 965-966.

Rabow, M. W., Hauser, J. M., & Adams, J. (2004). Support family caregivers at the end of life: "They don't know what they don't know." *Journal of the American Medical Association*, 291, 483-491.

Rallying Points. (2002). *Diversity notes*. National Resource Center on Diversity in End of Life Care. Retrieved March 15, 2003, from <http://www.rallyingpoints.org>

Rando, T. A. (1993). *Treatment of complicated mourning*. Champaign, IL: Research Press.

Rao, J. (2004, September 22). Presentation, Annual Meeting of the Michigan Partnership for the Advancement of End of Life Care.

Rao, J. K., Anderson, L. A., & Smith, S. M. (2002). End of life is a public health issue. *American Journal of Preventive Medicine*, 23, 215-220.

Ratcliff, M., & Cohn F. (2000). Hospice with GRACE: Reforming care for terminally ill inmates. *Corrections Today*, 62(1), 64-67.

- Ratner, E., Norlander, L., & McSteen, K. (2001). Death at home following a targeted advance-care planning process at home: The kitchen table discussion. *Journal of the American Geriatrics Society, 49*, 778-781.
- Reese, D. J., Ahern, R. E., Nair, S., O'Faire, J. D., & Warren, C. (1999). Hospice access and use by African Americans: Addressing cultural and institutional barriers through participatory action research. *Social Work, 44*(6), 549-559.
- Reynolds, K., Henderson, M., Schulman, A., & Hanson, L. (2002). Needs of the dying in nursing homes. *Journal of Palliative Medicine, 5*, 895-901.
- Rice, K. N., Coleman, E. A., Fish, R., Levy, C., & Kutner, J. S. (2004). Factors influencing models of end-of-life care in nursing homes: Results of a survey of nursing home administrators. *Journal of Palliative Medicine, 7*, 668-675.
- Robert Wood Johnson Foundation. (2004). *Disparities at the end of life*. Newsroom, Special Sections. Retrieved April 8, 2004, at <http://rwjf.org/newsroom/featureDetail.jsp?featureID=152&type=2>
- Rodriguez-Garcia, R., & Akhter, M. N. (2000).
- Rushton, C. H., & Catlin, A. (2002). Pediatric palliative care: The time is now! *Pediatric Nursing, 28*, 57-60.
- Schulz, R., & Beach S. R. (1999). Caregiving as a risk factor for mortality: The caregiver health effects study. *Journal of the American Medical Association, 282*, 2215-2219.
- Schulz, R., Mendelsohn, A. B., Haley, W. E., Mahoney, D., Allen R. S., Zhang, S., et al. (2003). End-of-life care and the effects of bereavement on family caregivers of persons with dementia. *The New England Journal of Medicine, 349*, 1936-1942.
- Schwartz, C. E., Wheeler, H. B., Hammes, B., Basque, N., Edmunds, J., Reed, G., Ma, Y., Li, L., Tabloski, P., & Yanko, J. (2002). Early intervention in planning end-of-life care with ambulatory geriatric patients. *Archives of Internal Medicine, 162*, 1611-1618.
- Selwyn, P. A., & Forstein, M. Overcoming the false dichotomy of curative vs palliative care for late-stage HIV/AIDS. *Journal of the American Medical Association, 290*, 806-814.
- Senate Fiscal Agency (SFA). (2002). *End of Life Care, S.B. 660-662, 781, 826-828; H.B. 5148, 5255, 5258-5263: Enrolled Analysis*. Retrieved March 30, 2004, from <http://www.senate.state.mi.us/sfa>
- Silberberg, M. (2001). *Respite care: State policy trends and model programs*. Family Caregiver Alliance. Retrieved March 3, 2005, from http://www.caregiver.org/caregiver/jsp/content/pdfs/op_2001_10_policybrief_4.pdf

- Simonds, A. K. (2003). Ethics and decision making in end stage lung disease. *Thorax*, 58, 272-277.
- Singer, P. A., & Bowman, K. W. (2002). Quality care at the end of life. *British Medical Journal*, 324, 1291-1292. Retrieved March 1, 2005, from <http://www.bmj.com>
- Singer, P. A., Martin, D. K., & Kelner, M. (1999). Quality end-of-life care: Patients' perspectives. *Journal of the American Medical Association*, 281, 163-168.
- Sisk, R. J. (2000). Caregiver burden and health promotion. *International Journal of Nursing Studies*, 37(1), 37-43.
- State failing to inspect health-care facilities. (2005, January 8). *Detroit Free Press*.
- Steinhauser, K. E., Clipp, E. C., McNeilly, M., Christakis, N. A., McIntyre, L. M., & Tulsky, J. A. (2000). In search of a good death: Observations of patients, families, and providers. *Annals of Internal Medicine*, 132, 825-832.
- Stephenson, J. (2000). Palliative and hospice care needed for children with life-threatening conditions. *Journal of the American Medical Association*, 284, 2437-2438.
- Stewart, S., & McMurray, J. V. (2002). Palliative care for heart failure. *British Medical Journal*, 325, 915-916.
- Teno, J. M. (2002). Now is the time to embrace nursing homes as a place of care for dying persons. *Innovations in End-of-Life Care*, 4(2). Retrieved August 31, 2004, from <http://www2.edc.org/lastacts/archives/archivesMarch02/editorial.asp>
- Teno, J. M., Clarridge, B. R., Casey, V., Welch, L. C., Wetle, T., Shield, R., & Mor, V. (2004). Family perspectives on end-of-life care at the last place of care. *Journal of the American Medical Association*, 291, 88-93.
- Teno, J., Bird, C., & Mor, V. (n.d.). *The prevalence and treatment of pain in U.S. nursing homes*. Providence, RI: Brown University Center for Gerontology and Health Care Research. Retrieved July 9, 2004, at <http://www.as800.chcr.brown.edu/commstate/>
- Teno, J.M., Weitzen, S., Wetle, T., & Mor, V. (2001). Persistent Pain in Nursing Home Residents. *Journal of the American Medical Association*, 285, 2081.
- The Future of Public Health Committee. (2002). *The health of the public in Michigan: A vision for the twenty-first century*. Michigan Council for Maternal and Child Health. Accessed March 5, 2005, at <http://www.mipha.org/futurepubhlth.pdf>
- Travis, S. S., Bernard, M., Dixon, S., McAuley, W. J., Loving, G., & McClanahan, L. (2002). Obstacles to palliation and end-of-life care in a long-term care facility. *The Gerontologist*, 42, 342-349.

Travis, S. S., Loving, G., McClanahan, L., & Bernard, M. (2001). Hospitalizations and palliative in the last year of life among residents in long-term care. *The Gerontologist*, *41*, 153-160.

Treatment of Pain at the End of Life: A Position Statement from the American Pain Society. (n.d.). Retrieved March 1, 2005, from <http://www.ampainsoc.org/advocacy/treatment.htm>

Twaddle, M. (2002). Presentation, Annual Meeting of the Michigan Partnership for the Advancement of End of Life Care.

U.S. Census Bureau. (2001). The 65 years and over population: 2000. Retrieved October 31, 2004, from <http://www.census.gov/prod/2001pubs/c2kbr01-10.pdf>

U.S. Census Bureau. (2001a). *Baby boom brought biggest increase among people 45-to-54 years old*. Retrieved October 31, 2002, from <http://www.census.gov/Press-Release>

Ward, C. (2002). The need for palliative care in the management of heart failure. *Heart*, *87*, 294-298.

Weiss, S. C., Emanuel, L. L., Fairclough, D. L., & Emanuel, E. J. (2001). Understanding the experience of pain in terminally ill patients. *The Lancet*, *357*, 1311-1315.

Wennberg, J. (2000). Dartmouth Atlas of Health Care in Michigan. Accessed April 2, 2005, at <http://www.bcbsm.org/atlas>

White, T. M., Townsend, A. L. M. & Stephe, M. A. P. (2000). Comparisons of African American and white women in the parent care role. *The Gerontologist*, *40*, 718-728.

Whitlach, C. J., Schur, D., Noelker, L. S., Ejaz, F. K., & Looman, W. J. (2001). The stress process of family caregiving in institutional settings. *The Gerontologist*, *41*, 462-473.

Whittier, S., Coon, D., & Aaker, J. (2002). *Caregiver support interventions* (Research Brief No. 10). Washington, DC: National Association of State Units on Aging.

Wood, K. A., & Marik, P. E. (2004). ICU care at the end of life. *Chest*, *126*, 1403-1406.

Yates, J.L., & Glick, H. R. (1997). The failed Patient Self-determination Act and policy alternatives for the right to die. *Journal of Aging and Social Policy*, *9*(4), 29-50.

Yee, J. L., & Schulz, R. (2000). Gender differences in psychiatric morbidity among family caregivers: A review and analysis. *The Gerontologist*, *40*, 147-164.

Zarit, S. H. (2004). Family care and burden at the end of life. *Canadian Medical Association Journal*, *170*, 1811-1812.

Zerzan, J., Stearns, S., and Hanson, L. (2000). Access to palliative care and hospice in nursing homes. *Journal of the American Medical Association*, 284, 2489-2494.