

Appendix II

Table of Contents

Table 1: Breast, Cervical, Colorectal, Lung, Prostate and Ovarian Cancer Mortality Rates by County, Michigan 1999-2008.....	2
Table 2: Breast, Cervical, Colorectal, Lung, Prostate, and Ovarian Cancer Incidence Rates by County, Michigan 1998-2007.....	4
Table 3: Percentage of Breast Cancer Cases Localized at Diagnosis by County, 1995-1997 and 2005-2007.....	6
Table 4: Percentage of Cervical Cancer Cases In-situ at Diagnosis by County, 1995-1997 and 2005-2007.....	8
Table 5: Percentage of Colorectal Cancer Cases Localized at Diagnosis by County, 1995-1997 and 2005-2007.....	10
Table 6: Percentage of Lung Cancer Cases Localized at Diagnosis by County, 1995-1997 and 2005-2007.....	12
Table 7: Percentage of Prostate Cancer Cases Localized at Diagnosis by County, 1995-1997 and 2005-2007.....	14
Table 8: Percentage of Ovarian Cancer Cases Localized at Diagnosis by County, 1995-1997 and 2005-2007.....	16

**Table 1: Breast, Cervical, Colorectal, Lung, Prostate and Ovarian Cancer
Mortality Rates by County, Michigan 1999-2008**

County	Breast	Cervical	Colorectal	Lung	Prostate	Ovarian
Alcona	20.3 ± 10.4	1.5 ± 3.0	13.1 ± 4.7	57.1 ± 9.5	20.6 ± 6.8	8.4 ± 5.2
Alger	20.6 ± 9.6	0.0 ± 0.0	17.7 ± 6.7	60.4 ± 12.6	31.4 ± 13.0	6.3 ± 6.2
Allegan	21.7 ± 3.6	2.0 ± 1.2	19.4 ± 2.4	51.3 ± 4.1	32.8 ± 4.1	12.6 ± 2.7
Alpena	24.5 ± 6.7	0.9 ± 1.3	18.8 ± 3.9	52.5 ± 6.8	21.3 ± 5.3	10.4 ± 4.1
Antrim	32.3 ± 8.8	1.1 ± 1.1	15.8 ± 4.0	52.9 ± 7.4	28.7 ± 6.6	7.0 ± 3.9
Arenac	17.0 ± 7.9	4.3 ± 4.9	19.4 ± 5.1	57.3 ± 9.5	30.0 ± 8.0	8.1 ± 4.5
Baraga	27.8 ± 11.9	1.8 ± 3.5	11.6 ± 6.1	60.9 ± 14.3	26.4 ± 9.8	1.7 ± 3.3
Barry	22.0 ± 4.8	1.6 ± 1.4	21.4 ± 3.1	55.8 ± 5.7	32.1 ± 5.8	13.8 ± 3.8
Bay	21.8 ± 3.3	1.8 ± 1.1	18.4 ± 2.2	62.7 ± 4.2	22.4 ± 3.1	10.8 ± 2.3
Benzie	16.3 ± 7.1	1.0 ± 1.9	16.8 ± 4.5	52.5 ± 9.0	20.4 ± 6.5	11.4 ± 6.0
Berrien	24.1 ± 2.9	3.1 ± 1.1	16.7 ± 1.7	59.0 ± 3.3	21.4 ± 2.7	8.5 ± 1.8
Branch	24.7 ± 5.6	2.4 ± 1.9	18.7 ± 3.5	60.7 ± 6.6	25.7 ± 5.9	8.2 ± 3.3
Calhoun	27.2 ± 3.3	1.9 ± 1.0	18.4 ± 1.9	60.9 ± 3.8	30.8 ± 3.5	8.1 ± 1.9
Cass	29.9 ± 5.5	2.4 ± 1.7	21.0 ± 3.4	65.6 ± 6.2	26.7 ± 5.3	11.5 ± 3.6
Charlevoix	21.5 ± 6.7	2.9 ± 2.5	15.1 ± 3.6	53.6 ± 7.6	31.0 ± 6.9	9.7 ± 4.5
Cheboygan	28.8 ± 7.2	4.3 ± 3.5	16.8 ± 3.9	56.4 ± 7.1	24.9 ± 5.8	10.4 ± 4.1
Chippewa	17.3 ± 5.0	3.1 ± 2.5	18.7 ± 3.8	55.9 ± 7.0	15.1 ± 4.3	12.5 ± 4.7
Clare	24.6 ± 6.5	1.7 ± 1.8	16.1 ± 3.3	78.2 ± 8.1	25.3 ± 5.5	11.6 ± 4.5
Clinton	21.7 ± 4.7	0.9 ± 0.9	19.8 ± 3.2	40.4 ± 4.9	27.0 ± 5.0	9.6 ± 3.2
Crawford	21.3 ± 8.9	3.1 ± 3.6	20.7 ± 6.3	62.0 ± 10.8	22.5 ± 7.9	12.0 ± 6.6
Delta	27.3 ± 6.0	3.0 ± 2.3	18.3 ± 3.3	51.8 ± 6.1	26.4 ± 5.7	8.6 ± 3.4
Dickinson	17.4 ± 5.8	1.3 ± 1.8	18.8 ± 4.0	44.5 ± 6.6	23.2 ± 6.1	9.5 ± 4.2
Eaton	23.2 ± 3.7	1.4 ± 0.9	16.3 ± 2.2	47.9 ± 4.0	27.5 ± 3.9	8.9 ± 2.3
Emmet	20.2 ± 6.0	1.9 ± 2.2	15.7 ± 3.7	54.2 ± 7.0	20.5 ± 6.1	11.3 ± 4.4
Genesee	29.0 ± 2.0	2.5 ± 0.6	20.5 ± 1.2	64.7 ± 2.3	25.9 ± 1.9	10.3 ± 1.2
Gladwin	21.0 ± 6.5	3.6 ± 3.3	19.0 ± 3.8	65.5 ± 7.8	19.9 ± 4.9	10.7 ± 4.5
Gogebic	28.5 ± 8.8	5.2 ± 5.0	20.6 ± 5.1	54.1 ± 8.7	30.2 ± 7.6	8.9 ± 5.4
Grand	20.0 ± 3.8	1.0 ± 0.9	15.1 ± 2.3	45.9 ± 4.3	29.4 ± 4.1	8.6 ± 2.5
Gratiot	20.9 ± 5.8	3.1 ± 2.3	23.8 ± 4.2	47.0 ± 6.2	22.6 ± 5.1	10.8 ± 4.0
Hillsdale	27.8 ± 5.9	1.1 ± 1.2	20.7 ± 3.6	53.3 ± 6.0	22.5 ± 5.5	8.7 ± 3.4
Houghton	25.3 ± 6.8	2.8 ± 2.6	17.4 ± 3.7	52.3 ± 7.0	32.4 ± 6.1	6.1 ± 3.2
Huron	24.5 ± 6.1	1.1 ± 1.5	22.8 ± 3.8	47.9 ± 5.7	24.2 ± 4.9	8.9 ± 3.5
Ingham	22.9 ± 2.5	1.7 ± 0.7	16.0 ± 1.5	47.8 ± 2.7	21.8 ± 2.5	9.5 ± 1.6
Ionia	23.5 ± 5.3	1.4 ± 1.4	18.3 ± 3.3	55.1 ± 6.1	22.7 ± 5.5	6.3 ± 2.8
Iosco	22.3 ± 6.5	2.5 ± 2.5	17.9 ± 3.7	62.8 ± 7.1	22.3 ± 5.2	11.3 ± 4.7
Iron	24.6 ± 10.8	0.0 ± 0.0	19.3 ± 5.8	62.8 ± 10.7	20.8 ± 6.8	4.5 ± 3.3
Isabella	21.6 ± 5.4	3.8 ± 2.3	19.9 ± 3.6	60.4 ± 6.5	19.6 ± 5.0	9.9 ± 3.6
Jackson	25.9 ± 3.1	1.7 ± 0.9	18.5 ± 1.8	65.4 ± 3.7	30.2 ± 3.2	8.9 ± 1.8
Kalamazoo	25.0 ± 2.7	1.9 ± 0.8	16.6 ± 1.5	54.3 ± 2.9	26.0 ± 2.7	9.2 ± 1.6
Kalkaska	19.0 ± 8.3	0.0 ± 0.0	24.6 ± 6.3	64.7 ± 10.7	19.8 ± 7.1	11.7 ± 7.0
Kent	23.0 ± 1.7	1.3 ± 0.4	16.6 ± 1.0	48.2 ± 1.8	24.5 ± 1.7	7.8 ± 1.0
Keweenaw	14.3 ± 16.0	5.9 ± 11.5	10.2 ± 9.0	48.2 ± 19.3	12.2 ± 12.1	4.5 ± 8.7

* Age-adjusted rate per 100,000 population computed by gender for breast, cervical and prostate cancer.

Appendix II
Mortality Rates by County

County	Breast	Cervical	Colorectal	Lung	Prostate	Ovarian
Lake	25.3 ± 10.8	3.7 ± 5.6	26.4 ± 6.6	73.7 ± 12.4	18.0 ± 6.9	10.0 ± 6.6
Lapeer	27.2 ± 4.5	2.1 ± 1.3	20.8 ± 2.8	53.3 ± 4.9	27.6 ± 4.7	11.7 ± 3.0
Leelanau	19.8 ± 7.4	0.6 ± 0.0	14.3 ± 3.7	35.0 ± 6.3	23.8 ± 5.8	5.8 ± 3.6
Lenawee	22.5 ± 3.7	2.7 ± 1.4	18.8 ± 2.4	53.7 ± 4.2	31.5 ± 4.0	9.1 ± 2.4
Livingsto	25.3 ± 3.4	1.3 ± 0.8	19.4 ± 2.1	52.3 ± 3.6	23.2 ± 3.0	7.8 ± 1.9
Luce	8.2 ± 9.6	2.3 ± 4.5	22.3 ± 9.6	55.9 ± 16.0	31.3 ± 13.6	15.8 ± 11.7
Mackinac	33.3 ± 12.0	1.1 ± 2.1	21.9 ± 6.3	73.7 ± 12.3	18.2 ± 7.6	9.4 ± 6.3
Macomb	28.3 ± 1.4	2.0 ± 0.4	19.2 ± 0.8	58.1 ± 1.5	23.6 ± 1.3	10.0 ± 0.8
Manistee	21.9 ± 6.8	0.0 ± 0.0	21.4 ± 4.3	56.3 ± 7.6	21.9 ± 6.3	9.4 ± 4.2
Marquett	21.7 ± 4.5	0.8 ± 0.9	15.2 ± 2.5	55.5 ± 5.2	21.8 ± 4.2	8.5 ± 2.9
Mason	22.9 ± 6.2	1.6 ± 1.8	19.1 ± 3.9	61.6 ± 7.4	22.8 ± 5.4	9.6 ± 4.2
Mecosta	18.7 ± 5.1	0.0 ± 0.0	19.3 ± 3.7	56.7 ± 6.7	20.0 ± 4.5	6.6 ± 3.4
Menomin	23.8 ± 6.7	0.0 ± 0.0	12.7 ± 3.5	53.5 ± 7.5	16.9 ± 5.4	12.4 ± 5.4
Midland	22.0 ± 4.0	2.0 ± 1.1	17.2 ± 2.5	51.5 ± 4.5	20.9 ± 3.7	8.8 ± 2.5
Missauke	22.9 ± 9.1	2.6 ± 3.6	20.4 ± 5.8	62.7 ± 11.1	15.6 ± 7.5	14.4 ± 7.0
Monroe	22.1 ± 3.1	2.0 ± 1.0	20.7 ± 2.1	57.6 ± 3.7	27.2 ± 3.4	11.3 ± 2.3
Montcalm	25.3 ± 5.3	3.8 ± 2.2	19.5 ± 3.0	60.7 ± 5.9	26.5 ± 5.0	5.0 ± 2.4
Montmor	20.7 ± 10.6	5.2 ± 6.3	18.3 ± 6.1	63.7 ± 11.5	23.1 ± 7.6	9.3 ± 6.0
Muskego	25.9 ± 3.0	2.0 ± 0.9	16.9 ± 1.7	60.6 ± 3.5	25.3 ± 3.0	8.4 ± 1.8
Newaygo	24.5 ± 5.3	2.3 ± 1.9	18.8 ± 3.3	68.8 ± 6.8	22.2 ± 5.3	9.3 ± 3.6
Oakland	25.4 ± 1.1	1.7 ± 0.3	15.9 ± 0.6	48.9 ± 1.2	24.9 ± 1.1	8.9 ± 0.7
Oceana	23.9 ± 7.0	4.3 ± 3.5	14.1 ± 4.0	39.2 ± 6.7	19.3 ± 5.5	9.2 ± 4.5
Ogemaw	23.7 ± 7.2	4.0 ± 3.7	19.2 ± 4.6	75.0 ± 9.2	15.3 ± 5.8	11.6 ± 5.3
Ontonago	21.8 ± 12.6	4.0 ± 5.7	16.6 ± 6.4	57.5 ± 12.8	20.4 ± 8.6	5.2 ± 4.9
Osceola	23.9 ± 7.5	1.7 ± 2.5	21.0 ± 4.8	62.4 ± 9.0	19.6 ± 6.7	8.1 ± 4.4
Oscoda	32.7 ± 13.8	0.0 ± 0.0	18.7 ± 7.4	62.4 ± 12.6	21.0 ± 10.0	9.0 ± 7.0
Otsego	20.3 ± 6.6	2.3 ± 2.3	21.1 ± 4.5	50.6 ± 8.0	21.4 ± 5.9	7.7 ± 4.2
Ottawa	22.0 ± 2.5	1.0 ± 0.6	14.1 ± 1.4	36.6 ± 2.5	23.2 ± 2.4	8.0 ± 1.6
Presque	15.5 ± 7.5	0.7 ± 1.3	16.5 ± 4.3	52.9 ± 8.9	13.7 ± 5.3	9.2 ± 5.8
Roscomm	18.5 ± 5.8	1.5 ± 2.3	18.2 ± 4.0	68.1 ± 7.5	23.4 ± 4.9	9.1 ± 3.9
Saginaw	24.4 ± 2.6	2.8 ± 1.0	18.9 ± 1.6	57.5 ± 3.0	25.3 ± 2.6	7.8 ± 1.5
St. Clair	28.7 ± 3.3	2.4 ± 0.9	21.3 ± 2.0	64.7 ± 3.6	26.6 ± 2.8	9.1 ± 1.8
St. Joseph	21.8 ± 4.7	2.9 ± 1.9	23.6 ± 3.4	62.3 ± 5.8	26.7 ± 5.0	11.7 ± 3.4
Sanilac	24.1 ± 5.7	1.8 ± 1.8	18.7 ± 3.3	55.3 ± 6.0	27.7 ± 4.4	7.7 ± 3.2
Schoolcra	28.2 ± 12.3	1.4 ± 2.7	23.5 ± 7.8	65.4 ± 13.5	25.0 ± 8.9	8.1 ± 7.2
Shiawasse	24.3 ± 4.5	3.1 ± 1.8	17.1 ± 2.7	52.7 ± 5.0	19.7 ± 4.0	12.1 ± 3.2
Tuscola	23.6 ± 5.0	1.5 ± 1.3	20.7 ± 3.3	54.5 ± 5.6	27.9 ± 5.1	9.3 ± 3.1
Van	22.7 ± 4.4	1.5 ± 1.2	20.4 ± 2.8	57.6 ± 5.0	24.4 ± 4.1	9.3 ± 2.8
Washtena	24.3 ± 2.4	1.3 ± 0.6	17.1 ± 1.4	45.3 ± 2.5	27.2 ± 2.5	9.5 ± 1.6
Wayne	29.5 ± 1.0	3.0 ± 0.3	21.1 ± 0.6	62.0 ± 1.1	30.9 ± 1.0	8.2 ± 0.5
Wexford	16.4 ± 5.6	1.1 ± 1.5	17.7 ± 4.0	51.8 ± 7.2	27.2 ± 6.8	8.5 ± 3.6
Michigan	24.2 ± 0.4	2.0 ± 0.1	16.7 ± 0.2	54.5 ± 0.4	21.9 ± 0.4	8.0 ± 0.2

*Age-adjusted rate per 100,000 population computed by gender for breast, cervical and prostate cancer.

**Table 2: Breast, Cervical, Colorectal, Lung, Prostate, and Ovarian Cancer
Incidence Rates by County, Michigan 1998-2007**

County	Breast	Cervical	Colorectal	Lung	Prostate	Ovarian
Alcona	132.7 ± 24.0	78.4 ± 27.2	55.8 ± 10.0	83.5 ± 12.3	123.2 ± 20.3	19.9 ± 11.2
Alger	132.4 ± 28.4	33.4 ± 17.9	60.9 ± 12.6	78.1 ± 14.9	143.2 ± 27.8	15.2 ± 10.9
Allegan	132.1 ± 9.3	40.0 ± 5.4	55.5 ± 4.2	68.3 ± 4.9	165.1 ± 11.0	15.9 ± 3.1
Alpena	134.1 ± 16.0	99.1 ± 17.0	59.7 ± 7.2	78.5 ± 8.4	139.2 ± 16.1	18.3 ± 5.9
Antrim	119.4 ± 17.4	88.6 ± 18.4	53.1 ± 7.7	67.6 ± 8.7	204.8 ± 21.0	13.0 ± 5.9
Arenac	106.9 ± 19.6	49.8 ± 16.3	68.0 ± 10.1	94.8 ± 12.5	171.2 ± 23.0	10.9 ± 6.1
Baraga	121.0 ± 29.2	26.8 ± 17.1	49.4 ± 12.8	98.7 ± 18.5	139.8 ± 31.3	8.0 ± 7.9
Barry	124.5 ± 12.1	38.6 ± 7.4	46.0 ± 5.1	60.5 ± 6.1	155.3 ± 13.9	12.8 ± 3.8
Bay	117.7 ± 8.2	49.7 ± 6.1	54.0 ± 3.8	81.8 ± 4.8	180.3 ± 10.5	17.5 ± 3.1
Benzie	120.8 ± 20.8	115. ± 24.3	56.1 ± 9.2	74.9 ± 11.0	210.6 ± 26.0	11.8 ± 6.9
Berrien	131.3 ± 7.1	61.3 ± 5.5	58.3 ± 3.3	79.0 ± 3.9	206.3 ± 9.3	15.6 ± 2.5
Branch	103.7 ± 12.3	43.8 ± 8.7	49.5 ± 5.8	79.0 ± 7.6	132.4 ± 14.3	11.0 ± 3.8
Calhoun	118.1 ± 7.4	65.9 ± 6.1	53.2 ± 3.4	80.5 ± 4.4	146.3 ± 8.7	16.9 ± 2.8
Cass	107.3 ± 11.4	46.8 ± 8.7	46.0 ± 5.2	71.8 ± 6.6	124.2 ± 12.5	13.7 ± 4.2
Charlevoix	125.5 ± 17.2	62.4 ± 14.1	47.2 ± 7.1	63.9 ± 8.6	146.5 ± 18.6	14.0 ± 5.9
Cheboygan	127.1 ± 16.6	40.1 ± 11.5	50.1 ± 7.1	75.1 ± 8.5	181.1 ± 19.1	16.3 ± 5.9
Chippewa	116.7 ± 15.0	21.5 ± 7.2	46.3 ± 6.4	75.9 ± 8.3	137.1 ± 16.0	17.0 ± 5.7
Clare	116.0 ± 14.9	27.1 ± 8.5	56.3 ± 6.8	94.9 ± 9.1	189.6 ± 17.7	13.6 ± 5.3
Clinton	89.3 ± 9.7	23.8 ± 5.3	42.8 ± 4.7	44.3 ± 5.1	161.2 ± 13.8	10.8 ± 3.4
Crawford	98.8 ± 20.6	30.6 ± 13.8	45.3 ± 9.4	80.5 ± 12.4	169.6 ± 25.0	16.0 ± 8.4
Delta	125.7 ± 13.9	39.7 ± 9.5	57.1 ± 6.3	65.2 ± 7.0	167.1 ± 15.8	11.1 ± 4.1
Dickinson	115.9 ± 16.0	43.3 ± 12.0	53.6 ± 7.2	59.5 ± 7.8	143.4 ± 17.8	12.0 ± 5.0
Eaton	93.4 ± 7.7	34.5 ± 5.0	38.1 ± 3.5	51.3 ± 4.2	152.3 ± 10.6	10.1 ± 2.5
Emmet	147.4 ± 16.9	43.5 ± 10.6	50.5 ± 6.9	72.6 ± 8.3	155.7 ± 18.1	22.8 ± 6.7
Genesee	133.9 ± 4.5	81.5 ± 3.7	56.7 ± 2.1	86.4 ± 2.7	210.8 ± 6.2	15.0 ± 1.5
Gladwin	106.0 ± 15.1	21.8 ± 8.3	55.6 ± 6.9	90.9 ± 9.4	184.6 ± 18.1	10.5 ± 4.7
Gogebic	116.7 ± 19.9	45.4 ± 16.2	50.8 ± 8.3	63.3 ± 9.6	151.8 ± 20.7	16.9 ± 8.1
Grand	156.4 ± 11.1	142. ± 11.8	52.0 ± 4.5	71.5 ± 5.5	280.7 ± 15.9	16.5 ± 3.6
Gratiot	121.7 ± 14.2	30.8 ± 7.8	55.6 ± 6.5	63.3 ± 7.3	167.6 ± 17.1	17.7 ± 5.4
Hillsdale	114.1 ± 12.6	39.4 ± 8.4	49.9 ± 5.7	61.8 ± 6.5	131.7 ± 13.8	14.4 ± 4.7
Houghton	127.4 ± 16.1	35.6 ± 10.0	49.9 ± 6.5	60.1 ± 7.4	147.8 ± 16.5	13.3 ± 5.2
Huron	126.6 ± 14.6	44.6 ± 10.9	66.1 ± 6.8	62.9 ± 6.7	201.0 ± 17.2	15.1 ± 5.0
Ingham	146.8 ± 6.4	28.4 ± 2.7	57.3 ± 2.9	70.8 ± 3.4	206.2 ± 8.6	17.1 ± 2.2
Ionia	119.9 ± 12.3	37.6 ± 7.1	48.2 ± 5.5	67.2 ± 6.7	164.4 ± 15.3	9.4 ± 3.5
Iosco	118.8 ± 15.5	38.0 ± 11.7	52.5 ± 6.6	87.6 ± 8.7	175.1 ± 16.9	14.3 ± 5.7
Iron	109.1 ± 21.8	25.0 ± 14.3	56.0 ± 10.4	80.6 ± 12.2	128.2 ± 21.8	18.0 ± 9.9
Isabella	114.5 ± 12.7	20.8 ± 5.3	55.8 ± 6.2	78.0 ± 7.6	155.3 ± 15.6	12.2 ± 4.1
Jackson	117.0 ± 7.0	44.5 ± 4.8	48.3 ± 3.1	80.0 ± 4.2	144.3 ± 8.1	15.3 ± 2.5
Kalamazoo	122.5 ± 6.0	56.8 ± 4.1	44.3 ± 2.6	68.8 ± 3.3	161.5 ± 7.7	15.3 ± 2.1
Kalkaska	97.8 ± 19.0	96.0 ± 21.8	50.5 ± 9.4	66.6 ± 11.3	166.2 ± 25.1	16.4 ± 8.1
Kent	131.0 ± 4.1	34.5 ± 2.1	45.3 ± 1.7	59.3 ± 2.1	165.8 ± 5.1	12.7 ± 1.3
Keweenaw	129.3 ± 55.9	20.2 ± 31.6	41.3 ± 20.3	61.7 ± 24.6	82.2 ± 39.1	9.6 ± 13.2

* Age-adjusted rate per 100,000 population computed by gender for breast, cervical and prostate cancer.

Appendix II
Incidence Rates by County

County	Breast	Cervical	Colorectal	Lung	Prostate	Ovarian
Lake	129.7 ± 26.3	39.3 ± 18.1	59.1 ± 11.0	94.6 ± 14.5	217.6 ± 29.2	19.8 ± 10.6
Lapeer	119.9 ± 9.7	81.6 ± 8.5	59.4 ± 5.0	72.7 ± 5.7	178.8 ± 12.9	15.7 ± 3.5
Leelanau	124.4 ± 18.7	80.4 ± 19.3	33.9 ± 6.1	36.1 ± 6.5	250.9 ± 24.1	11.3 ± 5.7
Lenawee	118.7 ± 8.8	43.5 ± 5.9	43.8 ± 3.8	63.3 ± 4.7	177.4 ± 11.4	14.1 ± 3.0
Livingsto	117.6 ± 7.3	37.2 ± 4.2	47.2 ± 3.4	61.1 ± 4.0	139.9 ± 8.8	13.5 ± 2.5
Luce	124.1 ± 24.3	62.1 ± 30.2	72.6 ± 16.8	75.5 ± 18.5	161.2 ± 38.7	15.8 ± 11.9
Mackinac	102.9 ± 22.4	35.9 ± 17.1	46.2 ± 9.7	84.5 ± 13.6	137.7 ± 24.3	11.3 ± 8.0
Macomb	130.5 ± 3.2	85.5 ± 2.9	54.9 ± 1.5	81.4 ± 1.8	183.2 ± 4.1	16.2 ± 1.1
Manistee	129.9 ± 17.7	67.0 ± 16.0	59.9 ± 7.7	66.4 ± 8.5	182.1 ± 20.0	18.0 ± 6.5
Marquett	134.2 ± 11.7	12.9 ± 4.0	48.2 ± 4.9	72.7 ± 6.1	145.5 ± 12.5	13.2 ± 3.7
Mason	131.4 ± 16.5	48.7 ± 12.1	47.1 ± 6.6	75.5 ± 8.4	165.8 ± 18.0	14.2 ± 5.4
Mecosta	111.1 ± 13.8	28.6 ± 7.7	40.6 ± 5.6	72.9 ± 7.8	173.2 ± 16.9	11.5 ± 4.3
Menomin	114.3 ± 16.4	23.6 ± 9.1	37.6 ± 6.3	61.1 ± 8.3	145.3 ± 17.8	11.9 ± 5.6
Midland	115.7 ± 9.5	18.2 ± 4.1	46.4 ± 4.3	60.9 ± 5.1	181.6 ± 13.0	12.7 ± 3.2
Missauke	134.8 ± 24.2	64.8 ± 19.0	48.7 ± 10.0	75.3 ± 12.5	172.5 ± 26.7	16.3 ± 7.8
Monroe	103.5 ± 6.9	43.0 ± 4.7	53.1 ± 3.5	73.2 ± 4.3	144.7 ± 8.8	14.5 ± 2.6
Montcalm	123.3 ± 11.9	34.5 ± 6.7	52.7 ± 5.3	77.4 ± 6.7	190.9 ± 15.0	10.3 ± 3.5
Montmor	135.4 ± 26.2	98.4 ± 30.4	52.7 ± 11.0	89.0 ± 13.7	201.3 ± 28.3	19.9 ± 11.1
Muskegon	140.2 ± 7.4	133.2 ± 7.8	51.3 ± 3.2	76.0 ± 3.9	212.9 ± 9.7	14.1 ± 2.4
Newaygo	125.1 ± 13.1	57.6 ± 10.0	61.2 ± 6.3	83.7 ± 7.5	178.9 ± 15.9	15.5 ± 4.7
Oakland	143.3 ± 2.8	80.8 ± 2.3	52.0 ± 1.2	70.0 ± 1.5	212.7 ± 3.8	15.4 ± 0.9
Oceana	131.2 ± 17.9	83.2 ± 15.9	48.5 ± 7.1	59.1 ± 8.4	168.8 ± 19.8	15.0 ± 6.2
Ogemaw	103.7 ± 16.3	19.5 ± 8.9	53.3 ± 7.8	86.6 ± 10.1	163.7 ± 19.5	14.6 ± 6.1
Ontonago	111.0 ± 28.0	52.4 ± 26.7	51.6 ± 12.0	70.5 ± 14.4	136.8 ± 28.1	17.0 ± 10.7
Osceola	138.3 ± 19.2	48.2 ± 13.2	60.3 ± 8.8	83.5 ± 10.5	227.3 ± 24.4	15.3 ± 6.5
Oscoda	113.0 ± 25.6	18.5 ± 12.9	49.7 ± 11.0	62.4 ± 12.6	129.5 ± 25.0	5.2 ± 5.1
Otsego	123.6 ± 18.2	98.5 ± 18.5	55.3 ± 8.1	68.9 ± 9.4	210.2 ± 23.2	10.8 ± 5.4
Ottawa	140.2 ± 6.6	28.9 ± 3.0	47.8 ± 2.7	48.3 ± 2.9	165.2 ± 7.7	14.8 ± 2.2
Presque	108.7 ± 20.5	62.5 ± 20.5	51.8 ± 8.9	73.1 ± 10.8	172.7 ± 23.6	21.9 ± 9.8
Roscomm	146.7 ± 17.4	40.3 ± 12.6	58.4 ± 7.1	93.1 ± 9.1	199.7 ± 18.1	10.9 ± 4.5
Saginaw	121.9 ± 6.1	78.2 ± 5.4	54.5 ± 2.9	77.9 ± 3.5	214.9 ± 8.7	12.7 ± 2.0
St. Clair	139.1 ± 7.4	78.4 ± 6.1	62.7 ± 3.5	86.0 ± 4.2	169.7 ± 8.7	16.8 ± 2.6
St. Joseph	113.0 ± 11.0	77.8 ± 10.1	57.3 ± 5.4	78.6 ± 6.5	130.4 ± 12.3	16.3 ± 4.2
Sanilac	114.4 ± 12.7	74.8 ± 12.0	55.1 ± 5.9	68.0 ± 6.7	162.0 ± 15.1	11.2 ± 4.0
Schoolcra	119.6 ± 27.9	36.4 ± 19.5	59.2 ± 12.8	90.5 ± 16.2	169.1 ± 32.3	13.0 ± 10.0
Shiawasse	124.5 ± 10.6	52.2 ± 7.6	53.6 ± 5.0	70.5 ± 5.8	185.7 ± 14.0	16.3 ± 3.9
Tuscola	118.8 ± 11.6	54.8 ± 8.9	61.4 ± 5.8	68.1 ± 6.3	172.5 ± 14.3	15.2 ± 4.2
Van	106.5 ± 9.5	51.7 ± 7.3	42.0 ± 4.2	68.1 ± 5.6	155.5 ± 12.2	17.5 ± 3.9
Washtena	139.3 ± 5.9	40.6 ± 2.9	49.6 ± 2.6	60.0 ± 3.0	182.0 ± 7.5	15.6 ± 2.0
Wayne	123.8 ± 2.0	84.3 ± 1.8	60.6 ± 1.0	87.4 ± 1.3	217.0 ± 3.0	13.7 ± 0.7
Wexford	124.7 ± 16.0	82.5 ± 14.7	57.7 ± 7.3	72.3 ± 8.7	216.4 ± 21.7	12.1 ± 4.9
Michigan	128.0 ± 0.9	65.4 ± 0.7	53.8 ± 0.4	75.0 ± 0.5	188.8 ± 1.2	14.6 ± 0.3

*Age-adjusted rate per 100,000 population computed by gender for breast, cervical and prostate cancer.

Table 3: Percentage of Breast Cancer Cases Localized at Diagnosis by County,
1995-1997 and 2005-2007

County	1995-1997	2005-2007
Alcona	51.4%	64.9%
Alger	66.7%	57.7%
Allegan	54.5%	61.5%
Alpena	71.8%	70.1%
Antrim	41.1%	72.9%
Arenac	63.6%	50.0%
Baraga	33.3%	50.0%
Barry	59.5%	66.7%
Bay	45.5%	62.8%
Benzie	59.0%	57.8%
Berrien	62.0%	54.8%
Branch	56.9%	57.3%
Calhoun	63.3%	59.4%
Cass	49.5%	63.3%
Charlevoix	49.2%	66.7%
Cheboygan	67.9%	63.5%
Chippewa	61.5%	65.3%
Clare	64.9%	64.4%
Clinton	59.8%	69.1%
Crawford	37.8%	60.0%
Delta	79.6%	67.1%
Dickinson	23.0%	72.3%
Eaton	55.0%	66.5%
Emmet	75.9%	72.3%
Genesee	59.0%	62.3%
Gladwin	63.5%	64.3%
Gogebic	54.1%	60.0%
Grand Traverse	62.8%	65.0%
Gratiot	53.8%	59.4%
Hillsdale	65.2%	60.0%
Houghton	58.7%	67.4%
Huron	34.8%	50.6%
Ingham	60.7%	62.6%
Ionia	45.9%	58.3%
Iosco	64.7%	60.9%
Iron	55.0%	80.8%
Isabella	32.7%	60.0%
Jackson	64.2%	57.8%
Kalamazoo	57.1%	60.7%
Kalkaska	57.1%	41.7%
Kent	65.0%	65.9%
Keweenaw	20.0%	71.4%

County	1995-1997	2005-2007
Lake	54.2%	65.0%
Lapeer	57.9%	55.9%
Leelanau	37.1%	74.5%
Lenawee	56.8%	69.4%
Livingston	62.8%	65.5%
Luce	77.8%	57.1%
Mackinac	71.0%	69.6%
Macomb	60.9%	62.6%
Manistee	49.2%	60.9%
Marquette	64.7%	68.9%
Mason	58.3%	70.0%
Mecosta	59.3%	63.1%
Menominee	53.2%	51.4%
Midland	71.3%	52.7%
Missaukee	53.1%	64.5%
Monroe	63.4%	58.9%
Montcalm	53.2%	56.3%
Montmorency	51.9%	71.4%
Muskegon	56.9%	64.8%
Newaygo	70.0%	64.6%
Oakland	63.8%	62.3%
Oceana	54.7%	44.6%
Ogemaw	56.9%	61.0%
Ontonagon	44.4%	75.0%
Osceola	45.8%	74.5%
Oscoda	66.7%	55.0%
Otsego	43.1%	67.2%
Ottawa	54.0%	63.3%
Presque Isle	68.2%	70.4%
Roscommon	56.8%	59.0%
Saginaw	61.7%	64.3%
St. Clair	63.1%	68.1%
St. Joseph	59.4%	65.7%
Sanilac	52.1%	53.7%
Schoolcraft	78.3%	55.0%
Shiawassee	73.8%	64.3%
Tuscola	57.0%	53.8%
Van Buren	60.8%	64.3%
Washtenaw	72.1%	67.4%
Wayne	59.4%	58.9%
Wexford	44.1%	69.7%
Michigan	60.4%	62.2%

Table 4: Percentage of Cervical Cancer Cases In-situ at Diagnosis by County,
1995-1997 and 2005-2007

County	1995-1997	2005-2007
Alcona	100.0%	100.0%
Alger	80.0%	100.0%
Allegan	82.8%	83.3%
Alpena	95.0%	91.1%
Antrim	90.9%	92.3%
Arenac	60.0%	100.0%
Baraga	83.3%	40.0%
Barry	80.0%	86.5%
Bay	79.4%	86.4%
Benzie	81.3%	100.0%
Berrien	68.3%	84.6%
Branch	78.9%	73.7%
Calhoun	67.9%	87.1%
Cass	66.7%	71.4%
Charlevoix	78.6%	76.2%
Cheboygan	57.9%	55.6%
Chippewa	75.0%	30.8%
Clare	73.3%	40.0%
Clinton	64.3%	76.5%
Crawford	93.8%	87.5%
Delta	72.2%	75.0%
Dickinson	61.5%	100.0%
Eaton	77.2%	83.7%
Emmet	74.2%	69.2%
Genesee	83.2%	89.4%
Gladwin	65.0%	0.0%
Gogebic	94.7%	66.7%
Grand Traverse	91.8%	93.3%
Gratiot	65.4%	33.3%
Hillsdale	27.3%	81.5%
Houghton	68.4%	71.4%
Huron	82.4%	77.8%
Ingham	82.1%	73.2%
Ionia	87.5%	75.0%
Iosco	60.0%	50.0%
Iron	57.1%	60.0%
Isabella	75.0%	40.9%
Jackson	76.4%	78.7%
Kalamazoo	87.3%	89.9%
Kalkaska	87.5%	100.0%
Kent	85.9%	83.2%
Keweenaw	No cases reported	No Cases Reported

County	1995-1997	2005-2007
Lake	72.7%	66.7%
Lapeer	92.8%	83.7%
Leelanau	90.9%	92.3%
Lenawee	70.7%	79.7%
Livingston	84.8%	83.3%
Luce	66.7%	50.0%
Mackinac	77.8%	50.0%
Macomb	88.9%	90.0%
Manistee	69.2%	95.5%
Marquette	76.5%	50.0%
Mason	69.2%	84.8%
Mecosta	52.2%	71.4%
Menominee	62.5%	20.0%
Midland	81.5%	52.9%
Missaukee	81.8%	100.0%
Monroe	78.6%	78.9%
Montcalm	79.1%	88.9%
Montmorency	85.7%	94.1%
Muskegon	80.0%	95.1%
Newaygo	77.8%	87.2%
Oakland	89.6%	89.6%
Oceana	44.4%	85.4%
Ogemaw	50.0%	66.7%
Ontonagon	83.3%	33.3%
Osceola	77.8%	86.7%
Oscoda	75.0%	100.0%
Otsego	81.8%	88.4%
Ottawa	73.9%	82.4%
Presque Isle	81.8%	69.2%
Roscommon	86.7%	53.3%
Saginaw	79.2%	84.3%
St. Clair	89.6%	83.8%
St. Joseph	69.2%	68.6%
Sanilac	77.8%	88.9%
Schoolcraft	83.3%	50.0%
Shiawassee	85.9%	92.9%
Tuscola	71.1%	83.8%
Van Buren	88.1%	75.0%
Washtenaw	76.4%	87.3%
Wayne	85.8%	86.7%
Wexford	88.0%	93.3%
Michigan	84.5%	86.6%

Table 5: Percentage of Colorectal Cancer Cases Localized at Diagnosis by County, 1995-1997 and 2005-2007

County	1995-1997	2005-2007
Alcona	32.0%	48.6%
Alger	34.8%	32.3%
Allegan	25.6%	43.6%
Alpena	25.4%	48.5%
Antrim	27.8%	44.6%
Arenac	48.7%	40.5%
Baraga	57.1%	44.4%
Barry	34.4%	47.1%
Bay	30.6%	51.1%
Benzie	25.8%	37.8%
Berrien	31.4%	40.7%
Branch	39.3%	23.8%
Calhoun	28.9%	37.2%
Cass	26.0%	36.6%
Charlevoix	27.3%	32.7%
Cheboygan	39.6%	37.7%
Chippewa	40.5%	42.9%
Clare	31.1%	54.2%
Clinton	32.4%	48.7%
Crawford	38.1%	50.0%
Delta	71.0%	46.2%
Dickinson	19.4%	50.8%
Eaton	28.4%	46.0%
Emmet	37.0%	50.0%
Genesee	30.7%	44.7%
Gladwin	40.7%	41.7%
Gogebic	26.2%	41.7%
Grand Traverse	33.6%	38.0%
Gratiot	51.9%	32.0%
Hillsdale	40.0%	42.9%
Houghton	32.1%	30.9%
Huron	13.9%	42.1%
Ingham	36.0%	43.7%
Ionia	33.3%	31.9%
Iosco	43.3%	43.2%
Iron	14.0%	38.9%
Isabella	26.2%	54.9%
Jackson	55.9%	33.6%
Kalamazoo	23.3%	27.1%
Kalkaska	32.1%	37.5%
Kent	23.5%	38.9%
Keweenaw	33.3%	No Cases Reported

County	1995-1997	2005-2007
Lake	27.6%	32.3%
Lapeer	31.9%	39.5%
Leelanau	45.8%	60.0%
Lenawee	37.8%	36.6%
Livingston	30.5%	37.0%
Luce	36.4%	47.1%
Mackinac	15.2%	52.6%
Macomb	35.4%	38.7%
Manistee	36.7%	31.3%
Marquette	37.3%	44.2%
Mason	37.3%	37.1%
Mecosta	26.4%	39.2%
Menominee	41.7%	31.8%
Midland	27.8%	44.7%
Missaukee	21.1%	47.4%
Monroe	27.9%	29.4%
Montcalm	25.7%	44.3%
Montmorency	8.7%	50.0%
Muskegon	32.7%	41.3%
Newaygo	47.2%	44.3%
Oakland	38.2%	41.2%
Oceana	27.0%	42.9%
Ogemaw	31.9%	41.5%
Ontonagon	13.6%	31.6%
Osceola	24.2%	32.5%
Oscoda	33.3%	34.8%
Otsego	19.5%	30.2%
Ottawa	30.4%	46.3%
Presque Isle	31.6%	52.5%
Roscommon	43.1%	41.7%
Saginaw	49.1%	43.8%
St. Clair	37.8%	36.8%
St. Joseph	26.8%	25.5%
Sanilac	22.0%	46.5%
Schoolcraft	28.6%	43.5%
Shiawassee	37.2%	45.0%
Tuscola	32.0%	32.0%
Van Buren	32.1%	35.0%
Washtenaw	40.3%	38.7%
Wayne	34.0%	37.8%
Wexford	15.6%	43.1%
Michigan	34.0%	39.8%

Table 6: Percentage of Lung Cancer Cases Localized at Diagnosis by County, 1995-1997 and 2005-2007

County	1995-1997	2005-2007
Alcona	22.2%	25.6%
Alger	13.6%	14.3%
Allegan	18.9%	15.1%
Alpena	15.6%	21.1%
Antrim	9.7%	13.3%
Arenac	26.0%	16.2%
Baraga	14.8%	18.8%
Barry	29.9%	21.1%
Bay	20.2%	17.8%
Benzie	22.5%	21.4%
Berrien	16.9%	20.6%
Branch	24.2%	17.3%
Calhoun	18.9%	19.8%
Cass	19.9%	14.7%
Charlevoix	18.2%	18.0%
Cheboygan	13.5%	22.5%
Chippewa	17.1%	17.2%
Clare	20.7%	20.3%
Clinton	20.5%	18.9%
Crawford	26.8%	17.0%
Delta	21.5%	21.7%
Dickinson	8.8%	32.1%
Eaton	12.4%	15.8%
Emmet	20.3%	12.7%
Genesee	20.4%	24.6%
Gladwin	14.3%	16.7%
Gogebic	10.0%	15.1%
Grand Traverse	17.2%	12.4%
Gratiot	34.3%	7.4%
Hillsdale	17.6%	19.1%
Houghton	15.2%	20.2%
Huron	16.1%	11.6%
Ingham	20.7%	22.6%
Ionia	13.4%	23.3%
Iosco	18.6%	23.6%
Iron	14.5%	15.4%
Isabella	29.7%	19.1%
Jackson	40.9%	16.0%
Kalamazoo	17.6%	14.7%
Kalkaska	4.7%	12.8%
Kent	18.3%	16.4%
Keweenaw	20.0%	12.5%

County	1995-1997	2005-2007
Lake	16.7%	22.2%
Lapeer	19.6%	17.9%
Leelanau	34.3%	23.8%
Lenawee	24.4%	13.2%
Livingston	21.8%	14.5%
Luce	11.1%	5.9%
Mackinac	27.3%	16.7%
Macomb	20.0%	20.0%
Manistee	22.7%	17.3%
Marquette	14.4%	25.7%
Mason	14.9%	16.3%
Mecosta	24.1%	22.4%
Menominee	25.9%	14.8%
Midland	19.7%	17.8%
Missaukee	21.4%	20.0%
Monroe	14.6%	14.5%
Montcalm	22.6%	14.4%
Montmorency	28.8%	18.8%
Muskegon	22.7%	16.4%
Newaygo	13.3%	17.8%
Oakland	21.5%	20.6%
Oceana	25.9%	16.7%
Ogemaw	32.8%	18.0%
Ontonagon	19.2%	23.1%
Osceola	18.9%	20.0%
Oscoda	21.9%	25.0%
Otsego	14.9%	15.7%
Ottawa	13.1%	25.2%
Presque Isle	7.3%	17.2%
Roscommon	28.2%	19.8%
Saginaw	27.6%	16.7%
St. Clair	16.0%	17.5%
St. Joseph	24.5%	13.3%
Sanilac	18.0%	14.9%
Schoolcraft	12.5%	18.2%
Shiawassee	16.4%	18.5%
Tuscola	21.2%	11.9%
Van Buren	12.7%	20.0%
Washtenaw	17.6%	18.5%
Wayne	18.1%	17.9%
Wexford	18.0%	20.0%
Michigan	19.7%	18.6%

Table 7: Percentage of Prostate Cancer Cases Localized at Diagnosis by
County, 1995-1997 and 2005-2007

County	1995-1997	2005-2007
Alcona	72.1%	85.4%
Alger	56.5%	88.9%
Allegan	68.5%	70.6%
Alpena	64.8%	79.2%
Antrim	60.5%	88.3%
Arenac	64.6%	85.5%
Baraga	61.1%	68.0%
Barry	74.4%	79.1%
Bay	56.9%	86.4%
Benzie	55.7%	78.9%
Berrien	64.3%	85.5%
Branch	68.5%	77.7%
Calhoun	70.3%	83.1%
Cass	40.9%	81.9%
Charlevoix	68.1%	77.8%
Cheboygan	70.0%	82.0%
Chippewa	68.9%	88.0%
Clare	42.6%	75.9%
Clinton	60.8%	84.1%
Crawford	81.0%	88.1%
Delta	76.2%	62.4%
Dickinson	28.6%	78.8%
Eaton	62.0%	82.2%
Emmet	76.4%	84.0%
Genesee	61.1%	73.9%
Gladwin	50.0%	83.7%
Gogebic	52.0%	77.8%
Grand Traverse	51.9%	84.7%
Gratiot	58.6%	75.2%
Hillsdale	63.5%	83.2%
Houghton	59.5%	74.3%
Huron	55.4%	84.8%
Ingham	64.6%	84.7%
Ionia	61.2%	70.2%
Iosco	67.9%	77.2%
Iron	37.8%	63.0%
Isabella	41.3%	80.8%
Jackson	49.0%	82.1%
Kalamazoo	66.4%	80.8%
Kalkaska	59.1%	73.5%
Kent	69.7%	65.1%
Keweenaw	50.0%	75.0%

County	1995-1997	2005-2007
Lake	66.7%	71.0%
Lapeer	72.5%	84.3%
Leelanau	63.5%	73.7%
Lenawee	77.1%	82.4%
Livingston	63.7%	79.1%
Luce	81.8%	76.5%
Mackinac	82.6%	78.1%
Macomb	76.7%	85.2%
Manistee	61.6%	73.7%
Marquette	61.1%	83.8%
Mason	67.9%	56.5%
Mecosta	55.6%	72.9%
Menominee	64.2%	73.7%
Midland	66.9%	80.7%
Missaukee	48.3%	88.5%
Monroe	68.9%	78.8%
Montcalm	62.2%	61.5%
Montmorency	52.8%	93.8%
Muskegon	70.3%	82.7%
Newaygo	64.8%	84.6%
Oakland	75.8%	82.7%
Oceana	69.6%	77.6%
Ogemaw	61.0%	80.8%
Ontonagon	67.6%	77.8%
Osceola	58.9%	85.7%
Oscoda	30.4%	96.8%
Otsego	37.8%	89.1%
Ottawa	56.8%	66.5%
Presque Isle	75.0%	88.5%
Roscommon	57.9%	88.2%
Saginaw	73.6%	78.5%
St. Clair	68.1%	85.3%
St. Joseph	72.6%	72.5%
Sanilac	48.9%	85.1%
Schoolcraft	56.3%	65.4%
Shiawassee	70.6%	90.4%
Tuscola	57.0%	78.0%
Van Buren	62.4%	81.2%
Washtenaw	72.8%	84.3%
Wayne	73.6%	83.1%
Wexford	45.9%	91.7%
Michigan	68.8%	80.7%

Table 8: Percentage of Ovarian Cancer Cases Localized at Diagnosis by
County, 1995-1997 and 2005-2007

County	1995-1997	2005-2007
Alcona	25.0%	20.0%
Alger	0.0%	0.0%
Allegan	20.7%	13.8%
Alpena	9.1%	8.3%
Antrim	20.0%	0.0%
Arenac	20.0%	0.0%
Baraga	0.0%	0.0%
Barry	15.4%	15.4%
Bay	30.6%	10.9%
Benzie	0.0%	0.0%
Berrien	26.8%	8.7%
Branch	16.7%	8.3%
Calhoun	32.6%	27.5%
Cass	41.7%	0.0%
Charlevoix	0.0%	16.7%
Cheboygan	33.3%	0.0%
Chippewa	15.4%	16.7%
Clare	14.3%	0.0%
Clinton	28.6%	11.8%
Crawford	0.0%	0.0%
Delta	30.8%	50.0%
Dickinson	10.0%	0.0%
Eaton	51.7%	0.0%
Emmet	25.0%	18.2%
Genesee	20.8%	20.6%
Gladwin	35.7%	16.7%
Gogebic	12.5%	33.3%
Grand Traverse	13.0%	18.2%
Gratiot	8.3%	0.0%
Hillsdale	23.1%	27.3%
Houghton	25.0%	27.3%
Huron	14.3%	22.2%
Ingham	22.7%	24.1%
Ionia	27.3%	20.0%
Iosco	9.1%	0.0%
Iron	11.1%	0.0%
Isabella	15.4%	9.1%
Jackson	26.5%	13.2%
Kalamazoo	31.6%	10.6%
Kalkaska	33.3%	25.0%
Kent	32.7%	14.8%
Keweenaw	No cases reported	No cases reported

County	1995-1997	2005-2007
Lake	0.0%	0.0%
Lapeer	16.7%	10.5%
Leelanau	25.0%	0.0%
Lenawee	32.1%	7.7%
Livingston	32.3%	22.2%
Luce	0.0%	No cases reported
Mackinac	80.0%	0.0%
Macomb	27.6%	17.9%
Manistee	11.1%	0.0%
Marquette	20.0%	7.1%
Mason	36.4%	25.0%
Mecosta	28.6%	0.0%
Menominee	28.6%	0.0%
Midland	46.2%	15.8%
Missaukee	0.0%	0.0%
Monroe	21.4%	3.7%
Montcalm	37.5%	16.7%
Montmorency	40.0%	50.0%
Muskegon	15.4%	9.1%
Newaygo	33.3%	19.0%
Oakland	28.0%	14.9%
Oceana	28.6%	33.3%
Ogemaw	50.0%	11.1%
Ontonagon	0.0%	25.0%
Osceola	25.0%	25.0%
Oscoda	0.0%	No cases reported
Otsego	33.3%	0.0%
Ottawa	25.0%	22.4%
Presque Isle	0.0%	14.3%
Roscommon	35.3%	0.0%
Saginaw	17.8%	16.7%
St. Clair	26.4%	13.0%
St. Joseph	21.4%	18.2%
Sanilac	15.8%	14.3%
Schoolcraft	75.0%	0.0%
Shiawassee	30.0%	17.6%
Tuscola	21.1%	18.8%
Van Buren	24.0%	20.0%
Washtenaw	26.6%	18.6%
Wayne	27.4%	14.9%
Wexford	11.1%	25.0%
Michigan	26.4%	15.4%

For questions regarding this report, please contact:

*May Darwish-Yassine, PhD
Director, Cancer Control Services Program
Michigan Public Health Institute
2501 Jolly Rd, Suite 180
Okemos, MI 48864
Tel (517) 324-7308
Fax (517) 324-7364
Email: myassine@mphi.org*



Suggested Citation: Michigan Public Health Institute and Michigan Department of Community Health. The Cancer Burden in Michigan: Selected Statistics 1993-2011. September 2011.